



Z1

ZUMMO 

Z1

*The
smallest*

THE SMALLEST COUNTERTOP MODEL IN ZUMMO'S PRODUCT RANGE. PERFECT FOR ESTABLISHMENTS WHERE SPACE IS LIMITED AND THAT WANT TO OFFER THEIR CUSTOMERS THE BEST QUALITY FRESHLY SQUEEZED JUICE



230V 50Hz., 220V-60Hz., 110V-60Hz., 240V-50Hz.



Single Phase 0,16CV.



165W. / Stand By Energy Consumption 1,8W.



Automatic Operating (Upon Request)



Stand By System



29,5 Kg. 65 lbs.



6-7



6,5



9l. 2.4 gal.



Medium Cup: Kit Ø 63-75mm. 2.48"-2.95" / Ø 55-70mm. 2.16"-2.75"
Optional: Large Cup: Kit Ø 75-90mm. 2.95"-3.54" / Ø 65-80mm. 2.56"-3.15"



Height x Width x Depth
678mm. 26.7" x 339/323mm. 13.34"/12.7" x 387mm. 15.23"

Motor with thermal protection and information display.

Sensors detect incorrect positioning of front cover, filter tray, upper cover and bin, shown on display panel. Sensor will detect if motor stops and indication will appear in display.

Unblocking key should machine jam.



Feeder
for
7 fruits

Programmer
for fruits
to be
squeezed

Squeezed
fruit
counter

Energy-saving
"Stand By"
System

Juices all kinds of
citrus: oranges,
lemons, limes,
mandarins and
grapefruit

3 Year Zummo
guarantee

Holds up to
6Kg.
13.2 lbs. of
peel or 12
juices

Parts
engraved
with product
reference

Body of juicer made of
stainless steel

Straight into
the glass

No oils or
acidity
thanks to the
Zummo juicing
system



NEW
Z1

N E W

Z1



Pictogram System



Voltage



Motor



Consumption



Automatic Operating



"STAND BY" System



Weight



Feeder Capacity



Fruits per minute



Fruit Size



Bin Capacity



Measurements



Safety



010415/12